


NEW...



Champion

CON-TROW'LS



***Featuring the industry's
strongest fixed guard
ring...strongest
handle...lowest center
of gravity.***

***29"...36"...44" sizes
3 and 4 trowel models.***

CHAMPION MANUFACTURING COMPANY

3700 FOREST PARK AVENUE • ST. LOUIS, MISSOURI 63108 • PHONE: Jefferson 1-6688

29"-36"-44" Super Strong St Guard Rings - 3 and 4 Trowe



Model 360-G4
36" Guard Ring
4 Trowels, 3 H.P.

Dependable 3 H.P.,
Briggs-Stratton 4 cycle,
"L" Head, single cylinder,
air-cooled gasoline engine.
(6 H.P. Model 370-G4
also available).

Trowel tilt and
acceleration controls
within easy reach of
operator. The industry's
strongest, most
rigid handle.

New, stronger
vertical shaft

Premium "Gold-Seal"
combination float-finish
trowel blades or Gold
Seal finish trowel blades
are furnished as standard
equipment. Separate
clip-on float trowel
blades are available.



For extra weight,
optional steel bars
can be added.

SPECIFICATIONS

MODEL	trowel diameter	ring diameter	trowel speed	clutch	
290-G 290-G4	28"	29"	50-100RPM	positive action	3 H.P.
360-G 360-G4	35"	36"	50-100RPM	positive action	3 H.P.
370-G 370-G4	35"	36"	60-120RPM	positive action	6 H.P.
430-G 430-G4	43"	44"	60-120RPM	positive action	6 H.P.
440-G 440-G4	43"	44"	60-120RPM	positive action	6 H.P.

Stationary el Models


"Dead Man's" safety handle disengages trowel rotation upon release. Does not kill engine regardless of troweling speed when handle is released.

New one piece gear housing

Extra strong, rigid channel steel guard ring for safety and to allow troweling up to obstructions.

New, stronger trowel support bar

New low center of gravity for smooth, stable operation.




Model 290-G4

29" guard ring
(3 trowel model also available — 290-G)

3 H.P. Briggs-Stratton engine makes this the most powerful unit of its size available.

Perfect for troweling basements, driveways and any confined areas. Light enough to let you get on the slab early, yet heaviest 29" troweler — for quality work.



Model 430-G4

44" guard ring
(3 trowel model also available — 430-G)


A king size unit to enable one man to cover more area — faster. Powered by a 6 H.P. Briggs-Stratton engine. Premium "Gold Seal" combination float-finish trowels are standard equipment.

Models 440-G and 440-G4

Same as Model 430, but powered by a 6 h.p. Wisconsin engine for added weight.

GRINDING STONES


Champion grinding stones and holders are available for use with models 360G (36" ring) and 290G (29" ring).




IFICATIONS

engine	float trowel	float finish trowel	finish trowel	net weight	gross weight
P. Briggs-Stratton	10" x 11"	8" x 11"	6" x 11"	114 lbs. 123 lbs.	134 lbs. 143 lbs.
P. Briggs-Stratton	10" x 14"	8" x 14"	6" x 14"	121 lbs. 133 lbs.	145 lbs. 157 lbs.
P. Briggs-Stratton	10" x 14"	8" x 14"	6" x 14"	131 lbs. 141 lbs.	155 lbs. 165 lbs.
P. Briggs-Stratton	10" x 18"	8" x 18"	6" x 18"	154 lbs. 159 lbs.	215 lbs. 220 lbs.
P. Wisconsin	10" x 18"	8" x 18"	6" x 18"	187 lbs. 192 lbs.	248 lbs. 253 lbs.


**See back of
folder for
information
about Champion
Trowel Blades**




FOR 29" RING DIAMETER
Float-Finish
8" x 11"




FOR 29" RING DIAMETER
Float Trowels
Snap on type to fit over
Finish Trowel
10" x 11"




FOR 29" RING DIAMETER
Finish Trowel
6" x 11"




FOR 36" RING DIAMETER
Gold Seal or Standard
Finish Trowels
6" x 14"




FOR 36" RING DIAMETER
Gold Seal or Standard
Float-Finish Trowels
8" x 14"




FOR 36" RING DIAMETER
Float Trowels
Snap on type to fit over
Finish Trowel
10" x 14"



FOR 44" RING DIAMETER
Gold Seal or Standard
Finish Trowels
6" x 18"



FOR 44" RING DIAMETER
Gold Seal or Standard
Float-Finish Trowels
8" x 18"



FOR 44" RING DIAMETER
Float Trowels
Snap on type to fit over
Finish Trowel
10" x 18"

Champion

LONG-LIFE TROWEL BLADES

Float Blades — Finish Blades
Combination Float-Finish Blades

**Champion engineering
achievements to improve trowel
blade performance for you**

All Champion trowel blades are made of special, abrasive-resistant tempered steel, the finest steel produced anywhere. Champion's trowel bar is engineered to allow just the right amount of blade flexibility for proper troweling action. Trowel blades are attached to trowel bars by 8 rivets — instead of the usual 4—you virtually eliminate "throwing blades".

Champion offers 2 types of blades

Premium Gold Seal Blades . . .

Premium quality blades that provide up to twice the life of ordinary trowel blades. Greatly reduce downtime for blade changes.

Champion Standard Blades

Lowest priced blades available anywhere. Excellent performance and blade life.

"Snap-On" float trowel also available.

DISTRIBUTED BY:

Champion CON-TROW'LS

- ☆ Concrete Troweling Machines
- ☆ Gold Seal Finish Trowels
- ☆ Standard Finish Trowels
- ☆ Float Trowels
- ☆ Float-Finish Trowels
(Gold Seal and Standard)

CHAMPION MFG. CO. • 3700 FOREST PARK AVENUE • ST. LOUIS, MISSOURI 63108 • Jefferson 1-6688

CHAMPION CON-TROW'LS with 29" ring diameter FEATURES . . .

- HUSKY, DEPENDABLE 3 H.P. BRIGGS-STRATTON ENGINE, LARGEST ENGINE ON ANY 29" MACHINE ON THE MARKET.
- The heaviest, sturdiest unit in its class
- Optional steel bars can be added for extra weight
- Perfect for troweling through door openings and in other small areas
- Trowel blade tilt and acceleration controls at the handle
- "Dead man's" safety handle disengages rotary trowel movement upon release — does not kill engine
- Stationary type guard ring for safety — allows troweling up to obstructions
- Comes equipped with Gold Seal combination float-finish trowel blades
- Available in three or four blade models

SPECIFICATIONS

Troweling diameter: 28"
Ring diameter: 29"
Trowel Speed: 50 — 100 R.P.M.
Clutch: Positive Action
Engine: 3 H.P. Briggs-Stratton
Finish Trowel: 6" x 11"
Float Trowel: 10" x 11"
Float-Finish Trowel: 8" x 11"
Net Weight: 114 lbs.
Gross Weight: 134 lbs.

Model 290-G \$290.00
Model 290-G4 320.00

CHAMPION CON-TROW'LS with 36" ring diameter FEATURES . . .

- The most popular size troweling machine made
- Available in three or four blade models
- Optional steel bars can be added for extra weight
- Trowel tilt and acceleration controls at the handle
- "Deadman's" safety handle disengages rotary trowel movement upon release — does not kill engine
- Stationary type guard ring for safety, and to allow troweling up to obstructions
- Husky, dependable 3 H.P. Briggs-Stratton engine (360-G series), 6 H.P. Briggs-Stratton engine (370-G series)
- Four-blade models provide perfect balance and smoother operation — works down high spots instead of slipping over them

SPECIFICATIONS

Trowel diameter: 35"
Ring Diameter: 36"
Trowel speed: 50 — 100 RPM
Clutch: Positive Action
Engine: 3 H.P. Briggs-Stratton (360-G series)
6 H.P. Briggs-Stratton (370-G series)
Float trowel: 10" x 14"
Finish Trowel: 6" x 14"
Float-Finish Trowel: 8" x 14"
Net Weight: (4 trowel unit: 133 lbs.
3 trowel unit: 121 lbs.)
Gross Weight: (4 trowel unit: 157 lbs.
3 trowel unit: 145 lbs.)

PRICES — 3 BLADE MACHINES

Model 360-G (with 3 Gold Seal 6" x 14"
Finish Trowel Blades) \$380.00
Model 370-G (with 3 Gold Seal 6" x 14"
Finish Trowel Blades, 6 H.P. Engine) \$405.00

PRICES — 4 BLADE MACHINES

Model 360-G4 (with Gold Seal Float-Finish Trowel Blades) 410.00
Model 360-G4 (with Gold Seal Finish Trowel Blades) 405.00
Model 370-G4 (with Gold Seal Float-Finish Trowel Blades), 6 H.P. Briggs-Stratton Engine 430.00
Model 370-G4 (with Gold Seal Finish Trowel Blades), 6 H.P. Briggs-Stratton Engine 425.00

CHAMPION CON-TROW'LS with 44" ring diameter FEATURES . . .

- A king-size unit to enable one man to cover more area
- Available in three or four trowel models
- Optional steel bars can be added for extra weight
- Trowel tilt and accelerating controls at the handle
- "Dead man's" safety handle disengages rotary trowel movement upon release — does not kill engine
- Stationary type guard ring for safety — allows troweling up to obstructions
- Husky, dependable 6 H.P. engine
- Four trowel models provide perfect balance and smoother operation — work down high spots instead of slipping over them.

SPECIFICATIONS

Trowel Diameter: 43"
Ring Diameter: 44"
Trowel Speed: 60 — 120 RPM
Clutch: Positive Action
Engine: 6 H.P. Briggs-Stratton (430-G)
6 H.P. Wisconsin (440-G)
Float Trowel: 10" x 18"
Finish Trowel: 6" x 18"
Float-Finish Trowel: 8" x 18"
Net Weight:
430-G, 154 lbs.; 430-G4, 159 lbs.
440-G, 187 lbs.; 440-G4, 192 lbs.


PRICES — 3 BLADE MACHINES

Model 430-G (with 3 Gold Seal Finish Trowel Blades),
Briggs & Stratton 6 H.P. Engine \$445.00
Model 440-G (with 3 Gold Seal Finish Trowel Blades)
Wisconsin 6 H.P. Engine 480.00

PRICES — 4 BLADE MACHINES

Model 430-G4 (with 4 Gold Seal Float-Finish Trowel
Blades), Briggs & Stratton 6 H.P. Engine 475.00
Model 430-G4 (with 4 Gold Seal Finish Trowel
Blades), Briggs & Stratton 6 H.P. Engine) 470.00
Model 440-G4 (with 4 Gold Seal Float-Finish Trowel
Blades) Wisconsin 6 H.P. Engine 510.00

CHAMPION FINISH TROWEL BLADES



GOLD SEAL FINISH TROWEL BLADES

Premium trowel blades made from special abrasive-resistant tempered steel. Provide performance superior to all other trowels.


MODEL AND SIZE	NO. TO SET	PRICE
Model 290-G (6" x 11")	Set of 3	\$14.50
Model 290-G4 (6" x 11")	Set of 4	19.30
Model 360-G (6" x 14")	Set of 3	18.50
Model 360-G-4 (6" x 14")	Set of 4	24.65
Model 430-G (6" x 18")	Set of 3	19.50
Model 430-G-4 (6" x 18")	Set of 4	26.00

STANDARD FINISH TROWEL BLADES

Best quality spring steel available. Give excellent performance and trowel life at lowest price on market.

MODEL AND SIZE	NO. TO SET	PRICE
Model 360-G (6" x 14")	Set of 3	\$11.50
Model 360-G-4 (6" x 14")	Set of 4	15.50
Model 430-G (6" x 18")	Set of 3	13.00
Model 430-G-4 (6" x 18")	Set of 4	17.00

CHAMPION GRINDING STONES




Grinding stones for use with models 360-G or 290-G Champion Con-Trow'ls.

MODEL 360-G or 290-G	NO. TO SET	PRICE
Stone & Holder	Set of 3	\$30.00
Stone & Holder	Set of 4	40.00
Stone Only	Set of 3	10.00
Stone Only	Set of 4	13.35

All prices quoted are f.o.b. St. Louis, Missouri, U.S.A. Prices for export crating, etc., will be quoted on request. The above prices and designs are subject to change without notice.


CHAMPION FLOAT-FINISH TROWEL BLADES



Combination trowel blades that can be used both for floating and finishing. Available in both Standard and Gold Seal types. Same special abrasive-resistant steels as used in finish trowel blades.

MODEL AND SIZE	NO. TO SET	PRICE
Model 290-G (8" x 11") Gold Seal	Set of 3	\$16.00
Model 290-G4 (8" x 11") Gold Seal	Set of 4	21.00
Model 360-G (8" x 14") Standard	Set of 3	16.00
Model 360-G (8" x 14") Gold Seal	Set of 3	24.00
Model 360-G-4 (8" x 14") Standard	Set of 4	21.00
Model 360-G-4 (8" x 14") Gold Seal	Set of 4	32.00
Model 430-G (8" x 18") Standard	Set of 3	19.00
Model 430-G (8" x 18") Gold Seal	Set of 3	30.00
Model 430-G-4 (8" x 18") Standard	Set of 4	25.00
Model 430-G-4 (8" x 18") Gold Seal	Set of 4	40.00

CHAMPION FLOAT TROWEL BLADES



Snap-on type can be slipped onto finish trowel blades in seconds. Heavy abrasive-resistant special steel for long life.

MODEL AND SIZE	NO. TO SET	PRICE
Model 290-G (10" x 11")	Set of 3	\$14.00
Model 290-G4 (10" x 11")	Set of 4	18.70
Model 360-G (10" x 14")	Set of 3	14.50
Model 430-G (10" x 18")	Set of 3	17.50
Model 360-G-4 (10" x 14")	Set of 4	19.00
Model 430-G-4 (10" x 18")	Set of 4	23.50

WEIGHTS

(To Increase Machine Weight If Necessary)

MODEL AND SIZE	NO. TO SET	PRICE
For 290 Series (18 pounds per set)	Set of 2	\$ 7.50
For 360 Series (25 pounds per set)	Set of 2	11.00
For 430 Series (35 lb. per set)	Set of 2	15.45

Champion MANUFACTURING COMPANY

3700 FOREST PARK AVENUE
ST. LOUIS, MISSOURI 63108